

Product Catalogue

Changing the way you think about lighting

2019



MAKE IN INDIA | ISO & BIS CERTIFIED | WIDE RANGE OF LED PRODUCTS
INDIA'S INTEGRATED LED LIGHTS MANUFACTURER



Interio



Decorio



Commercio



Exterio



Industrio



Scan QR
for Website

**MANUFACTURING UNIT AT
BHIWADI, RAJASTHAN**



Scan QR for E-Productlist

MANUFACTURING UNIT AT BHIWADI, RAJASTHAN



Research and Development Unit



Tool Room



SMT Unit



Router Cutting



Laser Cutting Unit




Driver Unit

Super Nova Tech Craft Engineering Overseas Limited

ABOUT US



Assembly Unit



Wave Soldering



Die Cast



Power Press Unit



Machine Shop

- Super Nova Tech Craft Engineering Overseas Limited, an ISO: 9001:2015 certified company, a leading manufacturer of extensive range of Indoor and Outdoor LED luminaires for applications like Home | Commercial | Industrial | Showroom | Outdoor Facade | Decorative and Street Lighting.
- JUPITER is synonym to energy efficient and best quality lighting products across India. Originally known as P K Lamp Shade, a household name for generations, the brand is known for its quality and after-sale service combined with an extensive network of dealers and customers across the country.
- Re-launched as brand Jupiter in 2010, a preferred name in domestic, commercial and industrial sector today. It comes with a market experience of more than three decade as the master team behind Jupiter has an experience of catering to lighting solutions since 1980.
- In its pursuits for excellence, we have put up state-of-the art manufacturing facility in Bhiwadi, Rajasthan. We are pioneers of LED technology in the domestic market and are backed by an ultra modern laboratory and innovative center. Our R&D wing along with our plant are continuously working on exciting new products designs, incorporating internationally available cutting edge technology and providing solutions across various applications in LED lighting.
- We are one of the first LED Lighting manufacturers with complete backward integration.
 - We have in house,
 - **Pressure die-casting**
 - **Powder coating setup**
 - **Injection moulding setup**
 - **Tool room**
 - **LGP manufacturing and diffuser cutting facility**
 - **LED assembly line with 100% ageing facility for all manufactured products.**
 - **LED & driver manufacturing facility**
 - **(3 SMT lines & Wave soldering machine)**
 - **R & D Lab**
- Our brand luminaires are incorporated with international brands of LED's like Cree (USA) NICHIA (Japan) Seoul Semiconductor (Korea), EVERLIGHT & EDISON (Taiwan).
 - We are registered with;
 - **Bureau of Indian Standard (BIS)**
 - **National Small Industries Corporation Limited (NSIC)**
- We have worked with many reputed institutions, architects, interior designers, hotels & developers to fulfill their lighting requirements. Explore the wide range of cutting-edge design in lighting technology with us.



	Slim Panel Square				IP - 20	Color Temp. - 3000K/ 4000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Dimension(mm)	Cut-Out (mm)	CRI	STD PKG
	J023-4W	240lm	4W	80X80X20	67X67	>80	50 Pcs.
	J023-6W	360lm	6W	95X95X20	80X80	>80	40 Pcs.
	J023-9W	600lm	9W	115X115X20	100X100	>80	20 Pcs.
	J023-12W	850lm	12W	135X135X20	117X117	>80	20 Pcs.
	J023-15W	1100lm	15W	165X165X20	145X145	>80	20 Pcs.
	J023-24W	1700lm	24W	217X217X20	195X195	>80	10 Pcs.

Slim Panel Round				IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	Cut-Out (mm)	CRI	STD PKG	
J024-4W	240lm	4W	80X20	65	>80	50 Pcs.	
J024-6W	360lm	6W	106X20	95	>80	40 Pcs.	
J024-9W	600lm	9W	127X20	109	>80	20 Pcs.	
J024-12W	850lm	12W	175X20	160	>80	20 Pcs.	
J024-15W	1100lm	15W	175X20	160	>80	20 Pcs.	
J024-24W	1700lm	24W	235X20	220	>80	10 Pcs.	

	Surface Panel Square			IP - 20	Color Temp. - 3000K / 6500K	
	Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
	J028-4W	240lm	4W	80X80X40	>80	40 Pcs.
	J028-6W	360lm	6W	115X115X36	>80	20 Pcs.
	J028-9W	600lm	9W	115X115X36	>80	20 Pcs.
	J028-12W	850lm	12W	156X156X35	>80	20 Pcs.
	J028-15W	1100lm	15W	156X156X35	>80	20 Pcs.
	J028-24W	1700lm	24W	217X217X36	>80	10 Pcs.

Surface Panel Round			IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG	
J029-4W	240lm	4W	80X40	>80	40 Pcs.	
J029-6W	360lm	6W	107X36	>80	20 Pcs.	
J029-9W	600lm	9W	126X36	>80	20 Pcs.	
J029-12W	850lm	12W	163X36	>80	20 Pcs.	
J029-15W	1100lm	15W	163X36	>80	20 Pcs.	
J029-24W	1700lm	24W	231X36	>80	10 Pcs.	

	Galaxy (Square)			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Dimension(mm)	Cut-Out(mm)	STD PKG
	J302-6W	450lm	6W	115X30	100X100	20 Pcs.
	J302-12W	1000lm	12W	155X30	136X136	20 Pcs.
	Galaxy (Round)			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Dimension	Dimension	STD PKG
	J303-6W	450lm	6W	115X30	100X100	20 Pcs.
	J303-12W	1000lm	12W	153X30	139X139	20 Pcs.



	Coral Square				IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
	Model No.	Lumen Output	Power (w)	Dimension(mm)	Cut Out(mm)	CRI	STD PKG	
	J045-6W	480lm	6W	98X98X25	74X74	>80	40 Pcs.	
	J045-12W	1000lm	12W	145X145X27	112X112	>80	10 Pcs.	
	J045-20W	1800lm	20W	180X180X30	150X150	>80	20 Pcs.	

Coral Round				IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension(mm)	Cut Out(mm)	CRI	STD PKG	
J043-6W	480lm	6W	107X27	85	>80	40 Pcs.	
J043-12W	1000lm	12W	164X30	133	>80	10 Pcs.	
J043-20W	1800lm	20W	180X30	150	>80	20 Pcs.	





ConceLED				IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power(w)	Dimension(mm)	Cut Out(mm)	CRI	STD PKG	
J232-4W	240lm	4W	106X40	72	>80	20 Pcs.	
J232-6W	360lm	6W	106X40	72	>80	20 Pcs.	

Available Color: Red | Purple | Green | Blue

EcoPlus			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension	Cut-Out	CRI	STD PKG
J086-6W	360lm	6W	104X104X43	85	>80	40 Pcs.
Available Color: Red Green Blue						
J086-12W	800lm	12W	173X173X43	152	>80	20 Pcs.




	EcoLED				IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
	Model No.	Luman	Power (w)	Dimension	Cut Out	CRI	STD PKG	
	J087-3W	225lm	3W	80X80X47	50	>80	40 Pcs.	
	Available Color: Red Green Blue							

Flora				IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	Dimension	Cut-Out	CRI	STD PKG
J088-6W	450lm	6W	84X64mm	46mm	>80	20 Pcs.
Available Color: Red Green Blue						
J088-10W	900lm	10W	114X64mm	46mm	>80	20 Pcs.
J088-15W	1350lm	15W	140X64mm	46mm	>80	20 Pcs.





Pluto				IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	Lumen	Dimension		Cut Out	CRI	STD PKG
J105-3W	3W	210lm	61X28X61mm		30	>80	60 Pcs.
Available Color: Red Green Blue							



Delta			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	Cut Out(mm)	CRI	STD PKG
J108-6W	360lm	6W	109X49	68	>80	50 Pcs.

Available Color: Red, Green & Blue





Cruise Recess Light				IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	Cut-Out (mm)	CRI	STD PKG	
J018-15W	1050lm	15W	188X188X29	160	>80	10 Pcs.	

Cruise Surface Light			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K	
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
J025-15W	1050lm	15W	154X154X21	>80	10 Pcs.





Cruise Surface Light			IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
J057-20W	1800lm	20W	186X186X36	>80	20 Pcs.

Pearl Surface Light			IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
J038-3W	200lm	3W	71X26	>80	40 Pcs.





Omega Surface Square			IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
J021-12W	950lm	12W	120X120X43	>80	20 Pcs.
J021-24W	1800lm	24W	180X180X55	>80	10 Pcs.

Omega Panel Round			IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
J020-12W	950lm	12W	122X50	>80	20 Pcs.
J020-24W	1800lm	24W	182X55	>80	10 Pcs.





Ocus		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)		CRI	STD PKG
J064-4W	4W		>80	20 Pcs.



Ocus		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)		CRI	STD PKG
J064-2X4W	8W		>80	10 Pcs.



Ocus		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)		CRI	STD PKG
J064-3X4W	12W		>80	10 Pcs.



Plano		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)		CRI	STD PKG
J011-9W	9W		>80	40 Pcs.



Cyrus		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)		CRI	STD PKG
J015-4W	4W		>80	20 Pcs.
J015-2X4W	8W		>80	10 Pcs.


Cyrus
J015-4W

Cyrus
J015-2X4W

Cyrus-II		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)		CRI	STD PKG
J705-4W	4W		>80	20 Pcs.
J705-2X4W	8W		>80	10 Pcs.


Cyrus-II
J705-4W

Cyrus-II
J705-2X4W

Cyrus		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)		CRI	STD PKG
J016-3X4W	12W		>80	10 Pcs.






	Nova - W		IP - 20	Color Temp. - 3000K/ 6500K		
	Model No.	Power (w)	Lumen	Dia	CRI	STD PKG
	J068-12W	12W	900lm	135mm	>80	10 Pcs.

Disco Light		IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	Dia	CRI	STD PKG	
J005-18W	18W	109mm	>80	10 Pcs.	
Available Color: Multi Color					

	Nova Spot		IP - 20	Color Temp. - 3000K/ 6500K	
	Model No.	Power (w)	Lumen	CRI	STD PKG
	J063-10W	10W	800lm	>80	10 Pcs.
	J063-20W	20W	2000lm	>80	10 Pcs.
	J063-30W	30W	3000lm	>80	10 Pcs.

Florence Hanging LED		IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Power (W)	Lumen	CRI	STD PKG	
J750-6W	6W	400 lm	>80	20 Pc.	

 J702-12X4W 703-3X4W	Aqua		IP - 20	Color Temp. - Red, Green, Blue, Purple	
	Model No.	Power	Crystal Height (mm)	Color	
	J 703-3X4W	12W	200	Red, Green Blue	
	J 702-12X4W	48W	150	Red, Green, Blue & Purple	



Xita		IP - 54	Color Temp. - 3000K/ 6500K	
Model No.	Dimension (mm)	CRI	STD PKG	
J150-2X3W	138X50X35	>70	20 Pcs.	

Alpha		IP - 20	Color Temp. - 3000K/ 4000K/ 6500K	
Model No.	Power (w)	CRI	STD PKG	
J002-10W	10W	>80	20 Pcs.	

Disco Wall Light		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)	CRI	STD PKG	
J003-12W	12W	>80	10 Pcs.	
Available Color: Multi Color				

Bed Spot Light		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)	CRI	STD PKG	
J014-3W	3W	>80	20 Pcs.	

Bed Spot Light		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)	CRI	STD PKG	
J037-5W	5W	>80	20 Pcs.	

Table Lamp		IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)	CRI	STD PKG	
J066-6W	6W	>80	10 Pcs.	





	Solid Strip Light			IP - 20	Color Temp. - 3000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Length (mm)	CRI	STD PKG
	J007-5W	390lm	5W	300	>80	20 Pcs.
	J007-10W	830lm	10W	600	>80	20 Pcs.

Mirror Light			IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	Lumen	Length (mm)	CRI	STD PKG	
J006-15W	15W	1200lm	560	>80	10 Pcs.	
J006-20W	20W	1600lm	620	>80	10 Pcs.	


	Mirror Light			IP - 20	Color Temp. - 3000K/ 6500K	
	Model No.	Power (w)	Dimension (mm)	CRI	STD PKG	
	J010-9W	9W	350	>80	10 Pcs.	
	J010-12W	12W	455	>80	10 Pcs.	
	J010-15W	15W	560	>80	10 Pcs.	

Picture Light		IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	CRI	STD PKG		
J009-5W	5W	>80	20 Pcs.		
J009-10W	10W	>80	10 Pcs.		

	LED Strip Light				IP - 20
	Model No.	Lumen Output	Power (w)	Dimension (Mtr.)	STD PKG
	J3528-30W (3000K/ 6500K)	2250lm	30W	5	40 Pcs.
	J3528-30W (Red/ Green/ Blue)	NA	30W	5	40 Pcs.

LED Strip Light				IP - 20	
Model No.	Lumen Output	Power (w)	Dimension (Mtr.)	STD PKG	
J5050-60W (Red/ Green/ Blue)	NA	60W	5	20 Pcs.	
J5630-100W (3000K/ 6500K)	9000lm	100W	5	20 Pcs.	

	LED Strip Light				IP - 65
	Model No.	Lumen Output	Power (w)	Dimension (Mtr.)	STD PKG
	J3528-30W IP65 (3000K/ 6500K)	2250lm	30W	5	40 Pcs.
	J3528-30W IP65 (Red/ Green/ Blue)	NA	30W	5	40 Pcs.



Bitty			IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	Dimension (mm)	Cut-Out (mm)	CRI	STD PKG	
J450-2W	2W	38X26	28	>80	100 Pcs.	

Available Color: Red | Green | Blue



Minispot			IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	Dimension (mm)	Cut-Out (mm)	CRI	STD PKG	
J034-2W (R)	2W	40X40X23	28	>80	160 Pcs.	
J035-2W (S)	2W	30X30X22	25	>80	160 Pcs.	

Available Color: Red | Green | Blue



Glaze			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension(mm)	Cut Out (mm)	CRI	STD PKG
J106-3W	200lm	3W	71X71X26	30	>80	60 Pcs.



COB Module			IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension(mm)	Cut-Out (mm)	CRI	STD PKG
J039-5W	480lm	5W	50	35	>80	20 Pcs.



Platina COB			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	Cut Out (mm)	CRI	STD PKG
J047-10W	800lm	10W	80X80X85	65X65	>80	20 Pcs.




Umbrella COB			IP - 20	Color Temp. - 3000K/ 4000K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	Cut Out (mm)	CRI	STD PKG
J033-20W	1600lm	20W	192X85	145	>80	10 Pcs.
J033-30W	2400lm	30W	192X85	145	>80	10 Pcs.



COB Down Light (R)			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (in mm)	Cut Out	CRI	STD PKG
J083-5W	400lm	5W	73X38	56	>80	24 Pcs.
J083-10W	800lm	10W	87X47	75	>80	20 Pcs.
J083-20W	2000lm	20W	110X79	93	>80	10 Pcs.





COB Down Light (S)			IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (in mm)	Cut Out	CRI	STD PKG
J084-5W	400lm	5W	73X38	56	>80	24 Pcs.
J084-10W	800lm	10W	88X88X47	75	>80	20 Pcs.
J084-20W	2000lm	20W	111X111X79	93	>80	10 Pcs.



COB Down Light (R)			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (in mm)	Cut Out	CRI	STD PKG
J501-30W	2500lm	30W	160X87	130	>80	10 Pcs.
J501-40W	3600lm	40W	160X87	130	>80	10 Pcs.



Zoom LED			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (in mm)	Cut Out	CRI	STD PKG
J046-30W	2500lm	30W	165X105	147	>80	12 Pcs.



Zoom LED			IP - 20	Color Temp. - 3000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (in mm)	Cut Out	CRI	STD PKG
J077-10W	800lm	10W	113X73	95	>80	20 Pcs.



Zoom LED			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (in mm)	Cut Out	CRI	STD PKG
J078-10W	800lm	10W	113X113X73	95	>80	20 Pcs.





SpotLED			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG	
J082-20W	2000lm	20W	40°	>80	10 Pcs.	





Florence Spot LED			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (in mm)	CRI	STD PKG	
J600-6W	400lm	6W	115X55X113	>80	20 Pcs.	





	SpotLED			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG
	J060-30W	3000lm	30W	40°	>80	10 Pcs.






SpotLED			IP - 20		Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG	
J054-10W	700lm	10W	40°	>80	20 Pcs.	
J054-2X10W	1400lm	20W	40°	>80	10 Pcs.	
J054-3X10W	2100lm	30W	40°	>80	10 Pcs.	

Housing Color : Sky Blue

SpotLED
IP - 20
Color Temp. - 3000K/ 6500K

Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG
J054-10W	700lm	10W	40°	>80	20 Pcs.
J054-2X10W	1400lm	20W	40°	>80	10 Pcs.
J054-3X10W	2100lm	30W	40°	>80	10 Pcs.

Housing Color : Pink



SpotLED			IP - 20		Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG	
J054-10W	700lm	10W	40°	>80	20 Pcs.	

Florence Track LED
IP - 20
Color Temp. - 3000K/ 4000K/ 6500K

Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG
J601-6W	400lm	6W	30°	>80	20 Pcs.



LED Track Light			IP - 20		Color Temp. - 3000K/ 4000K/ 6500K	
Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG	
J061-10W	700lm	10W	40°	>80	20 Pcs.	

Track LED
IP - 20
Color Temp. - 3000K/ 4000K/ 6500K

Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG
J061-30W	3000lm	30W	40°	>80	10 Pcs.



Track LED			IP - 20		Color Temp. - 3000K/ 4000K/ 6500K	
Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG	
J081-20W	2000lm	20W	40°	>80	10 Pcs.	



	2 Way Track Channel			Color Available - Black / White
	Model No.	Body Colour	Dimension	STD PKG
	J059-1Mtr.	White	1 Mtr.	20 Pcs.
	J059-2Mtr.	White	2 Mtr.	20 Pcs.

SpotLED			IP - 20	Color Temp. - 3000K/ 4000K/ 6500K		
Model No.	Lumen Output	Power (w)	Beam Angle	CRI	STD PKG	
J060-6W	420lm	6W	40°	>80	20 Pcs.	
J060-10W	700lm	10W	40°	>80	20 Pcs.	
J060-2X10W	1400lm	20W	40°	>80	10 Pcs.	
J060-3X10W	2100lm	30W	40°	>80	10 Pcs.	
Housing Color : White						

	Jumbo (High Wattage)			IP - 20	Color Temp. - 3000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
	J101-26W	2600lm	26W	81X160	>80	6 Pc.
	J101-32W	3200lm	32W	99X181	>80	6 Pc.
	J101-45W	4500lm	45W	117X216	>80	6 Pc.

Backlit Panel			IP - 20	Color Temp. - 3000K/ 6500K			
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG		
J026-21W	1750	21W	300X300X65	>80	1 Pc.		

	Backlit Panel 1X1			IP - 20	Color Temp. - 3000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD PKG
	J041-24W	2400lm	24W	300X300	>80	10 Pcs.
	J041-30W	3000lm	30W	300X300	>80	10 Pcs.

LineLED			IP - 20	Color Temp. - 3000K/ 6500K			
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD. PKG.		
JT5-6W	500lm	6W	300	>80	20 Pcs.		
JT5-12W	1000lm	12W	600	>80	20 Pcs.		
JT5-18W	1600lm	18W	1200	>80	20 Pcs.		

	LineLED M			IP - 20	Color Temp. - 3000K/ 6500K	
	Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD. PKG.
	JT5-24W	2400lm	24W	1200mm	>80	20 Pcs.



Foot LED			IP - 54	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	Dimension (mm)	Cut-Out (mm)	CRI	STD. PKG.	
J012-2W	2W	85X85	65X65	>70	24 Pcs.	

Available Color: Blue

Foot LED

IP - 54

Color Temp. - 3000K/ 6500K

Model No.	Power (w)	Dimension (mm)	Cut-Out (mm)	CRI	STD. PKG.
J012-3W	3W	94X94	68X60	>70	24 Pcs.



Grace

IP - 54

Color Temp. - 3000K/ 6500K

Model No.	Power (w)	Dimension (mm)	Cut-Out (mm)	CRI	STD PKG
J019-6W	6W	114X36X84	65X95	>70	20 Pcs.

Elegance

IP - 54

Color Temp. - 3000K/ 6500K

Model No.	Power (w)	Dimension (mm)	CRI	STD PKG
J095-2X5W	10W	140X88X44	>70	20 Pcs.



Breeze

IP - 54

Color Temp. - 3000K/ 6500K

Model No.	Power (w)	Dimension (mm)	CRI	STD PKG
J096-2X3W	6W	166X68X90	>70	20 Pcs.


Ultima

IP - 54

Color Temp. - 3000K/ 6500K

Model No.	Power (w)	Dimension (mm)	CRI	STD PKG
J252-2X5W	10W	78X55X105	>70	20 Pcs.





Adore		IP - 54	Color Temp. - 3000K/ 4000K/ 6500K	
Model No.	Dimension (mm)	CRI	STD PKG	
J090-10W	135X66X100	>70	12 Pcs.	

Dazzle

IP - 54

Color Temp. - 3000K/ 6500K

Model No.	Dimension (mm)	CRI	STD PKG
J093-5W	80X68X93	>70	20 Pcs.



Sunny Bulkhead

IP - 66

Color Temp. - 3000K/ 6500K

Model No.	Dimension (mm)	CRI	STD PKG
J253-15W	184X115X62	>70	20 Pcs.

Spike Kone

IP - 54

Color Temp. - 3000K/ 6500K

Model No.	Dimension (mm)	CRI	STD PKG
J075-5W	72X72X275	>70	20 Pcs.





	FloodLED Cluster		IP - 66	Color Temp. - 3000K/ 6500K	
	Model No.	Lumen Output	Power (w)	CRI	STD. PKG.
	J073-12W	1200lm	12W	>80	10 Pcs.

FloodLED Cluster			IP - 66	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	CRI	STD. PKG.	
J073-24W	2400lm	24W	>80	10 Pcs.	

	FloodLED Cluster		IP - 66	Color Temp. - 3000K/ 6500K	
	Model No.	Lumen Output	Power (w)	CRI	STD. PKG.
	J073-30W	3300lm	30W	>80	6 Pcs.
	J073-50W	5500lm	50W	>80	6 Pcs.


Available Color: Red | Green | Blue | Purple

FloodLED Cluster			IP - 66	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	CRI	STD. PKG.	
J073-75W	8000lm	75W	>80	6 Pcs.	
J073-90W	10000lm	90W	>80	6 Pcs.	

Available Color: Purple | Green | Blue

	FloodLED Slim		IP - 66	Color Temp. - 3000K/ 6500K	
	Model No.	Lumen Output	Power (w)	CRI	STD. PKG.
	J173-30W	2700lm	30W	>80	10 Pcs.
	J173-50W	4400lm	50W	>80	10 Pcs.

FloodLED Cluster			IP - 66	Color Temp. - 3000K/ 6500K	
Model No.	Lumen Output	Power (w)	CRI	STD. PKG.	
J073-120W	13500lm	120W	>80	1 Pc.	
J073-150W	16500lm	150W	>80	1 Pc.	
J073-200W	22000lm	200W	>80	1 Pc.	



	StreetLED			IP - 66	Color Temp. - 3000K/ 6500K		
	Model No.	Lumen Output	Power (w)	Dimension (mm)	Bracket (mm)	CRI	STD PKG
	J070-15W	1500lm	15W	352X98X57	38mm	>70	10 Pcs.
	J070-24W	2400lm	24W	352X98X57	38mm	>70	10 Pcs.
	J070-30W	3000lm	30W	352X98X57	38mm	>70	10 Pcs.
	J070-40W	4000lm	40W	352X98X57	38mm	>70	10 Pcs.

StreetLED				IP - 66	Color Temp. - 3000K/ 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	Bracket (mm)	CRI	STD PKG	
J070-50W	5000lm	50W	480X180X50	55	>70	6 Pcs.	
J070-75W	7500lm	75W	480X180X50	55	>70	6 Pcs.	
J070-90W	9000lm	90W	480X180X50	55	>70	6 Pcs.	

	StreetLED			IP - 66	Color Temp. - 6500K		
	Model No.	Lumen Output	Power (w)	Dimension (mm)	Bracket (mm)	CRI	STD PKG
	J070-120W	13500lm	120W	465X235X72	55	>70	1 Pc.
	J070-150W	16500lm	150W	465X235X72	55	>70	1 Pc.

StreetLED Gold				IP - 65	Color Temp. - 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	Bracket (mm)	CRI	STD PKG	
J171-120W	13500lm	120W	515X260X65	55	>70	1 Pc.	
J171-150W	16500lm	150W	515X260X65	55	>70	1 Pc.	

	Ground Burial			IP - 66	Color Temp. - 3000K/ 6500K		
	Model No.	Lumen Output	Power (w)	Dimension (mm)	Bracket (mm)	CRI	STD PKG
	J097-20W	1600lm	20W	190X190X73	145	>80	10 Pcs.
	J097-10W	700lm	10W	123X123X69	110	>80	10 Pcs.



Industrial Batten				IP - 20	Color Temp. - 6500K	
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD. PKG.	
J201-36W	3900lm	36W	1200	>80	10 Pcs.	

Linear Industrial Batten			IP - 20	Color Temp. - 6500K		
Model No.	Lumen Output	Power (w)	Dimension (mm)	CRI	STD. PKG.	
JT51B - 60W	6600lm	60W	1200	>80	20 Pcs.	

Low Bay LED				IP - 20	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)	Lumen	Dia (mm)	Height of Dome (mm)	CRI	STD PKG
J068-50W	50W	5000lm	310mm	320	>80	10 Pcs.

Hanging High Bay Light			IP - 66	Color Temp. - 3000K/ 6500K		
Model No.	Power (w)	Lumen Output	Dia (mm)	CRI	STD PKG	
J069-100W	100W	13500lm	250	>70	1 Pc.	

Hanging High Bay Light with Shade				IP - 66	Color Temp. - 3000K/ 6500K	
Model No.	Power (w)	Lumen Output	Dia (mm)	CRI	STD PKG	
J069-100W	100W	13500lm	400X200	>70	1 Pc.	


Accessories

Suprimo (LED Strip Driver)				IP - 20
Model No.	Output Voltage	Current Output	Input Voltage	
DRV30W122100CV	12V	2100mA	120V-265V AC	

LED Strip Driver				IP - 20
Model No.	Output Voltage	Current Output	Input Voltage	
DRV60W124500CV	12V	4500mA	120V-265V AC	
DRV60W242500CV	24V	2500mA	120V-265V AC	
DRV100W243500CV	24V	3500mA	120V-265V AC	



- Made in India LED luminaire. Plant in Bhiwadi Rajasthan.
- In-house Pressure Die Casting, CNC, Moulding.
- In-house Electronic Facility :-
(3 SMT and 1 Wave Soldering)
- In house tool room and powder coating.
- State of the art Technology.



Super Nova Tech Craft Engineering Overseas Limited
A-353-B | RIICO Industrial Area | Bhiwadi | Rajasthan - 301019

 **1800 532 3131**
(WEEKDAYS 9AM - 6PM)

 **sales@jupiterillumination.com**

 **www.jupiterillumination.com**